In the Claims:

Álease cancel claims 1-13 without prejudice or disclaimer.

Please add the following new claims:

-- 14. An assembly comprising:

a container;

a device for computerized monitoring of a contents of the container;

the device having a flexible support and one of an electronic chip and a memory card affixed to the flexible support;

the flexible support comprising a printed circuit and an antenna capable of communicating with a computerized system;

the antenna being one of integrated with the flexible support and attached to the flexible support;

a protective compartment containing a sample of the contents of the container; and the flexible support being coupled to the sample,

wherein the protective compartment is removably attached to the container so as to be recouped for the purpose of one of examination or filing.

1/5. The assembly of claim 1/4, wherein the protective compartment is sealed and

wherein the flexible support is disposed within the protective compartment.

3 16. The assembly of claim 15, wherein the protective compartment is integrally formed with the container and wherein the container is formed from first and second films.

The assembly of claim 16, wherein one wall of the protective compartment comprises one of the first and second films of the container.

5 18. The assembly of claim 17, further comprising a precut for facilitating a separation of the protective compartment from the container.

The assembly of claim 14, wherein the protective compartment comprises an adhesive flexible leaf attached to a wall, the flexible support being disposed between the adhesive flexible leaf and the wall, and wherein the protective compartment further comprises an opening adapted to receive the sample.

720. The assembly of claim 14, further comprising a flexible bag formed from plastic films.

The assembly of claim 20, wherein the flexible bag comprises a surface having an adhesive, the surface having the adhesive releasably connecting the flexible bag to the container.

The assembly of claim 20, wherein the flexible bag is attached to the protective compartment.

23. The assembly of claim 26, wherein the flexible bag is attached to the container, the flexible bag being attached to one of a middle portion of a wall of the container and a perimeter edge portion of the container.

124. The assembly of claim 14, wherein the protective compartment comprises a sheath which encloses the flexible support, the sheath being welded to the container.

The assembly of claim 24, wherein the sheath comprises separating precuts and wherein the sheath comprises two edges which are attached to two corresponding edges of the container.

13 26. The assembly of claim 14, further comprising the memory card having a hole,

wherein the protective compartment comprises a hole which is aligned with the hole of the memory card.

1421. The assembly of claim 26, further comprising a fixing device disposed in the holes and connecting the memory card and the protective compartment.

1528. The assembly of claim 26, further comprising a sheath for removably covering the memory card.

Wherein the protective compartment comprises a flexible two walled structure having a hole in each wall which is aligned with the hole of the memory card, and

further comprising a fixing device disposed in the holes and connecting the memory card and the walls of the protective compartment.

17 36. The assembly of claim 14, further comprising at least one pipe for delivering the contents into the container.

31. The assembly of claim 30, wherein the protective compartment is connected to the

pipe via a connecting sheath.

1932. The assembly of claim 31, wherein the connecting sheath is adapted to be hot pressed to the at least one pipe.

1233. The assembly of claim 30, wherein the protective compartment comprises a flexible bag which is connected to the at least one pipe.

H 34. The assembly of claim 35, wherein the flexible bag is connected to the at least one pipe by one of welding and adhesive.

22 %. An assembly comprising:

a container containing a blood sample;

a protective compartment removably attached to the container;

a device for computerized monitoring of a contents of the container disposed in the protective compartment;

the device having a flexible support and one of an electronic chip and a memory card affixed to the flexible support;

the flexible support comprising a printed circuit and an antenna capable of